

PIECE OF NATURE AT HOME

PRODUCTION OF HARDWOOD FLOORS

WWW.BKPARKET.COM



ABOUT US

BK Parket, s.r.o. is a manufacturer of high quality hardwood flooring solutions for residential and commercial spaces.

With over 26 years of experience in the industry, we are proud to offer a wide range of premium hardwood flooring that combines elegance, durability and sustainability.

Incorporating new technologies and innovative methods, our manufacturing capabilities allow us to meet the demands of modern processes and industry standards. We offer not only our standard product range, but also the flexibility to adapt our manufacturing processes to meet the requirements of our strategic partners and clients.

We offer downstream complementary products and services such as:

- production of custom flooring, baseboards, wall cladding and staircases
- expert advisory services
- maintenance services

All of our oak wood comes from sustainablysourced forests in Slovakia, most of them certified, so that we can offer products with the FSC or PEFC label, if desired.











WOOD CATEGORIES







knots up to 5 mm diameter.

The wood is clear and beautiful in grain and is Healthy knots up to 50 mm diameter, small Knots up to 70 mm in diameter, cracks and very uniform in color with only very small pin wood defects repaired with putty, no sapwood. piths repaired with putty, some sapwood and Minimal colour variations are permissible.

colour variations are allowed.

New and unique colours with a rustic look will suitably complement the idea of natural perfection.





WIDE PLANKS

BK Parket as a manufacturer of wooden flooring offers a choice of two types of construction - either two-layer or three-layer. Are you looking for a floor with underfloor heating? We have a solution for that too - a certified underfloor heating program.







DOUBLE-LAYER WIDE PLANK FLOORING

Single-plank, brushed and oiled with bevelled edges on all 4 sides

Thickness: 10-21 mm Width: 130-180 mm Length: 800 - 2400 mm Top layer: 4,2mm

Joint: tongue-and-groove on all 4 sides

Multi-layer wood flooring according to EN14342:2013




THREE-LAYER WIDE PLANK FLOORING

Single-plank, brushed and oiled with bevelled edges on all 4 sides

Thickness: 15-18 mm Width: 180-240 mm Length: 800 - 2400 mm Top layer: 4,2 mm Joint: tongue-and-groove on all 4 sides

Multi-layer wood flooring according to EN14342:2013











HERRINGBONE

This type is a suitable base for both modern and traditional interiors. On one hand, in modern interiors they enhance the effect of non-standard solutions of harmony of the space and its furnishings, in classic interiors they underline its ancient or rustic character.

PATTERN A





PATTERN **B**



PATTERN **C**



PATTERN **D**









DOUBLE-LAYER HERRINGBONE FLOORING

Single-plank, brushed and oiled with bevelled edges on all 4 sides

Thickness: 12-15 mm Width: 130-180 mm Length: 390-800 mm Top layer: 4,2 mm

Joint: tongue-and-groove on all 4 sides

Multi-layer wood flooring according to EN14342:2013











CHEVRON

Do you like to spend time at home? Follow the latest European trend! A return to natural materials and the historical heritage of artistic craftsmanship in woodworking, combined with contemporary technical sophistication and avant-garde.

CHEVRON





CHEVRON FLOORING 45° OR 60° TWO-LAYER

Single-plank, brushed and oiled with bevelled edges on all 4 sides

Thickness: 12–15 mm
Width: 130–180 mm
Length: 390–800 mm
Top layer: 4,2 mm
Joint: tongue-and-groove on all 4 sides

Multi-layer wood flooring according to EN14342:2013

CHEVRON STRIPPING







WALL TILES

Transform your space with elegant wooden wall panelling - timeless charm combined with modern design to add warmth, texture and a touch of elegance to your space.

Timber wall panelling can also provide insulation and acoustic benefits to a room, making it a versatile choice for both residential and commercial environments.









STAIRCASE CLADDING

Wood cladding from our flooring or solid wood adds aesthetic value to the staircase, enhances the appearance of the staircase, adds style and visual appeal.

This process not only adds a stylish touch to the staircase, but also ensures its durability while offering customization options to suit different design preferences.

